

CERTIFICATE OF ANALYSIS

NIACINAMIDE PC

Product Code: 14345

Batch No. : 10541

Re-Test Date : 10/2026

Test	Result	Limits / Specifications	Dimension / Units
Appearance visual	crystalline powder	crystalline powder	
Colour visual	white	white	
Assay HPLC	99.5	99.0 to 101.0	% w/w
Related Substances:			
3-cyanopyridine HPLC	0.00	max. 0.10	% w/w
Any unknown impurity HPLC	0.04	max. 0.10	% w/w
Total of impurities HPLC	0.1	max. 0.2	% w/w
Nicotinic acid HPLC	66	max. 100	ppm
pH of solution Ph.Eur. of Nicotinamide	7.2	6.0 to 7.5	
Clarity of solution Ph.Eur. of Nicotinamide	0.21	max. 3.00	NTU
Colour values (CIELAB) L* Colour Instrument Measurement	98.3	90.0 to 101.0	
Colour values (CIELAB) a* Colour Instrument Measurement	0.0	-10.0 to 10.0	
Colour values (CIELAB) b* Colour Instrument Measurement	0.8	-10.0 to 10.0	
Colour of solution (calc./BY) Ph.Eur. of Nicotinamide	7	min. 7	
melting range start. point Ph. Eur. of Nicotinamide	129	128 to 131	°C
melting range end. point Ph. Eur. of Nicotinamide	130	128 to 131	°C
Particle Size Fraction			
min. 50 µm sieve analysis	100	min. 90	% w/w
min. 250 µm sieve analysis	<1	max. 8	% w/w
Sulphated Ash Ph.Eur. of Nicotinamide	0.03	max. 0.10	% w/w
Heavy Metals USP (method II) of Niacinamide	<10	max. 10	ppm

CERTIFICATE OF ANALYSIS

NIACINAMIDE PC

Product Code: 14345

Batch No. : 10541

Re-Test Date : 10/2026

Test	Result	Limits / Specifications	Dimension / Units
Chloride Limit test JP	<70	max. 70	mg/kg
Sulfate Limit test JP	<190	max. 190	mg/kg
Readily carbonizable substances USP of Niacinamide	passes test	passes test	
Identification UV, USP of Niacinamide	corresponds	0.63 to 0.67	
Identification IR, EP/USP of Niacinamide	corresponds	corresponds	
Loss on drying Ph.Eur. of Nicotinamide	0.0	max. 0.5	% w/w
Lead USP <730>	corresponds*	max. 1	ppm
Microbiology Total Aerobic Microbial Count Ph. Eur. 2.6.12	corresponds*	max. 100	CFU/g
Total Combined Yeast and Moulds Ph. Eur. 2.6.12	corresponds*	max. 100	CFU/g
Escherichia coli Ph. Eur. 2.6.13	corresponds*	negative in 1 g	
Staphylococcus aureus Ph. Eur. 2.6.13	corresponds*	negative in 1 g	
Pseudomonas aeruginosa Ph. Eur. 2.6.13	corresponds*	negative in 1 g	
Candida albicans Ph. Eur. 2.6.13	corresponds*	negative in 1 g	

DISCLAIMER

Aroma Trading Ltd shall not be held liable for any damage resulting from handling, application or processing of our ingredients, since the conditions of use are out of our control. Information provided by Aroma Trading Ltd, including the composition or use of our ingredients, are provided in good faith, based on current technical and scientific knowledge, but without any warranty as to their accuracy or completeness. Any user of our ingredients shall themselves determine the suitability of our ingredients for their own intended use and as may be the case, obtain the required regulatory approvals for the commercialization of their finished products.

Any person using our ingredients in the formulation of their own finished products are solely responsible for ensuring that the use of our ingredients, the finished products, the packaging, labelling and any claims they make with respect to their finished products and the ingredients they contain, comply with their country/state/regional applicable laws and regulations.

Bay House Ingredients® & Soapmakers Store are Divisions of Aroma Trading Ltd
Registered No. 02698381, V.A.T. Registration No. 600 516 981, EORI GB60051698100

Electronically generated, this document is not signed.

Quality Control Department